2022-2023 MSBO Bus Purchase Program

Options (Updated 9/8/22)

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
BODY OPTIONS					
Access Compartment	✓	√	✓	√	
B100 – Delete access compartment	V	•	V	V	
Air Conditioning, In Dash	./				./
B110 – For driver only	V			V	V
Air Conditioning	./	✓			./
B112 - Bus Air, BA 65, 65,000 BTU	V	V		V	V
Air Conditioning	./	./			./
B113 - Bus Air, BA 80, 80,000 BTU	V	•		V	V
Air Conditioning	./				
B114 - Bus Air, BA 110, 110,000 BTU	V	•		V	
Air Conditioning	./	./			
B115 - Bus Air, BA 120, 120,000 BTU	V	V		V	
Air Conditioning	./	./			
B116 – Bus Air BA126, 126,000 BTU System	V	V		V	
Air Conditioning	./				
B118 – MCC/Carrier AC-572 max, 70,000 BTU	V	•	V	V	
Air Conditioning					
B123 – MCC/Carrier AC5W13, 53,000btu					V
Air Conditioning					
B126 – MCC/Carrier AC126K, 124,000 BTU (rear & front	\checkmark		✓	√	
in-wall evaporators, dual TM 21 compressor)					
Air Conditioning					
B127 – MCC/Carrier AC-126K w/KR4 roof condenser,					
124,000 BTU (rear & front in-wall evaporators, dual TM 21	V	•	v	v	
compressor)					
Air Conditioning					
B129 - Thermo King Michigan TM-552-MS, center-					./
plennum, dual discharge system w/TM-21 compressor,	V	V	v	V	V
103,000 BTU (includes 5-yr warranty)					
Air Conditioning			_		
B131 - Thermo King SR50C-C, center-plennum, dual	\checkmark	√	✓	√	\checkmark
discharge system w/TM-21 compressor, 103,000 BTU				·	
Air Conditioning					
B132 - Thermo King-SLR-65-65, dual center plenum,	./				./
double-dual discharge system w/2 TM-21 compressors,	V	V	v	V	V
130,000 BTU					
Air Conditioning	./	./	./		
B134 – Spheros System; CC145, 65,000 BTU, roof top	V	V	V	v	
Air Conditioning					
B135 – Spheros System; Dual CC145, 130,000 BTU,	\checkmark	✓	✓	√	
roof top	*				
Air Conditioning					
B136 – Trans Air Manf., 120,000 BTU, rear & front in-	\checkmark			√	
wall evaporators, dual compressor	*				
Air Conditioning					_
B137 – ACT Brand 55,000 BTU, rear flush in-wall					\checkmark
evaporator					•
Air Foil, Rear	./	./	./		./
B140 – Add rear air foil (state brand)	V	•	V	•	V

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Aisle Strips	√	✓		√	√
B150 – Plastic	<u> </u>	•		,	•
Aisle Strips	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
B151 – Stainless steel All Light Monitor System					
B160 - Add all light monitor system	✓	✓	✓	✓	✓
Antenna		/	/	/	/
B170 - Flexible rubber radio antenna	✓	✓	✓	✓	✓
Back Up Alarm and Sticker	./	./	./	./	./
B180 - Delete base spec	Y	V	V	٧	V
Battery Box					\checkmark
B185 - Mounted on body					,
Battery Cut Off Switch	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
B190 - Add battery cut off switch Battery Slide Out Tray					
B200 - Stainless steel	✓	✓	✓	✓	
Booster Pump			/		
B210 – Add booster pump	✓	✓	✓		
Booster Pump	./	./		./	
B211 – MP Brand, high output	V	V	V	V	
Bus Lock Up System	√	✓	Y	√	√
B220 - Back only	,	•	•	,	•
Bus Lock Up System	\checkmark	\checkmark		\checkmark	\checkmark
B221 - Front only Bus Lock Up System				,	,
Bus Lock Up System B222 - All doors	✓	✓	✓	✓	✓
Color, Interior					
B230 - Walls blue	✓	V	✓	✓	✓
Color, Interior	1			1	/
B231 - Walls green	V	V		V	V
Color, Interior	1		√	1	1
B232 - Walls gray	•		•	Y	•
Color, Interior		\checkmark		✓	\checkmark
B233 - Walls beige				,	
Color, Interior	\checkmark	\checkmark	\checkmark	✓	✓
B234 - Walls white Crossing Gate Arm					
B240 - Air w/stow bracket	✓	✓	✓	✓	
Crossing Gate Arm		/	/	/	/
B241 - Electric w/stow bracket	V	V	V	V	V
Crossing Gate Arm		1	./	1	
B242 - Air w/magnet	Y	V	•	Y	
Crossing Gate Arm	✓	✓	\checkmark	✓	\checkmark
B243 - Electric w/magnet	· .	*		· .	
Defogger Fans	✓	✓	✓	✓	
B250 - Increase from 2 to 3 Door, Entrance			,		
B260 - Electric, double out, split type	✓	✓	√	✓	\checkmark
Door, Entrance	/		/	/	
B261 - Manual, double out, split type	✓		✓	V	
Door, Entrance, Dryer			_/		
B270 – Ambient air dryer for air door	V	Y	V	Y	
Entrance Step					\checkmark
B275 - Driver's side					7

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Exit, Emergency Door, left side		./	./	./	
B280 – 28" door opening, flip seat	V	V	V	V	
Exit, Emergency Window	\checkmark	√	✓	√	
B290 – Increase from 2 to 4	,	•	•	•	
Exit, Emergency Door Latch	\checkmark	\checkmark	\checkmark	√	
B300 - 3-point latch	<u> </u>	,	,	,	
Exit, Evacuation Step	\checkmark		✓	√	
B310 - Step & handle at rear door Exit, Roof Hatch					
B320 – 1 Transpec Low Profile, 1170 series	\checkmark	✓	✓	✓	\checkmark
Exit, Roof Hatch			/	/	
B321 – 1 Transpec Low Profile 1970 series	✓	✓	✓	✓	✓
Exit, Roof Hatch		/	1	/	
B322 - 2 Transpec Low Profile 1970 series	✓	✓	✓	✓	✓
Exit, Roof Hatch	./	./	./	./	./
B323 – 1 Specialty ProLo 9240 series	V	V	V	V	V
Exit, Roof Hatch	√	1	1	√	✓
B324 – 2 Specialty ProLo 9240 series	<u> </u>	•	y	•	V
Exit, Roof Hatch Power Vent	\checkmark	√		✓	\checkmark
B342 – 1 Transpec Low Profile 1670 series	<u> </u>	,		•	V
Exit, Roof Hatch Power Vent	\checkmark	\checkmark	✓	√	\checkmark
B343 – 2 Transpec Low Profile 1670 series				·	
Fenderette B350 - Metal fenderettes	\checkmark	\checkmark		√	\checkmark
Fenderette					
B351 - Rubber fenderettes	✓	✓	✓	✓	✓
Flat floor package (does not include securements)				1	
B360 – 39" seats/3 seatbelts/front lift door				✓	
Flat floor package (does not include securements)				./	
B361 – 36" seats/2 seatbelts/front lift door				v	
Flat floor package (does not include securements)				./	./
B362 – 36" seats/2 seatbelts/rear lift door				V	•
Floor Covering			√	√	✓
B370 - Rubberized colored flooring	•		•	•	•
Floor Covering	\checkmark	\checkmark	\checkmark	√	\checkmark
B371 - Colored flooring			· .		
Floor Covering B372 - 1 piece, black	\checkmark	\checkmark	✓	√	\checkmark
Floor Covering					
B373 - 1 piece, gray	\checkmark	✓		✓	✓
Floor Tracking System			/		
B380 – 4 floor rows/1 row over windows/L-track/1 WC	✓	✓	✓		✓
Fuel Filler Door	/	/	1	/	
B390 – Door only	V	V	v	v	V
Fuel Filler Door	./	./	./	./	./
B391 - Locking with key	•	•	V	V	•
Fuel Filler Door	√	√	√	√	\checkmark
B392 - Latching	•	•	,	•	•
Heater, Auxiliary	\checkmark	\checkmark	✓	✓	
B410 – ProHeat X45, 45,000 BTU, quartz timer	•	<u> </u>			
Heater, Auxiliary	\checkmark	✓	✓	 	
B411 – Webasto D5LC, 45,000 BTU, quartz timer Heater, Auxiliary		+			
B415 – Webasto, 17,000 BTU, quartz timer	\checkmark			✓	\checkmark
DTIJ – W COASIO, 17,000 DTO, QUARIZ HIHEI		1	I	1	

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Heater, Auxiliary		_/	./	_/	
B416 - Extra compartment only; no heater	<u> </u>	Y	•	V	
Heater, Auxiliary					
B417 – Espar Egardian MII-12KW, fuel fired coolant	✓	✓	✓	✓	✓
heater w/5-year warranty					
Heater, Hoses	\checkmark	\checkmark	✓	√	
B420 - Reroute hoses under side "E" door	· .	<u> </u>			
Heater, Mid-body Rear	\checkmark	\checkmark	√	√	\checkmark
B430 – 50,000 BTU Heater, Mid-body Rear				,	
B431 - 80,000 BTU	\checkmark	✓	✓	✓	
Heater, Shut-Off Valve					
B440 - Locate valve on engine block	\checkmark	✓	✓	✓	
Inspection Plate					
B445 - Fuel sending, 8"x8"					✓
Lettering and Trim			/		
B450 – Substitute Reflexite tape	✓	✓	✓	✓	✓
Lettering and Trim				/	
B451 – Replace 2" tape w/6" Scotchlite tape	✓	✓	✓	✓	✓
Lettering and Trim				/	
B452 – Replace 2" tape w/6" Reflexite tape	✓	✓	~	✓	✓
Light Visor				1	
B455 - Overhead flasher light visor	✓			✓	
Light, Exterior				1	
B460 – Light check system	✓			✓	✓
Light, Interior	/			/	/
B465 – LED Interior Dome Lights	V	Y	✓	v	V
Light, Landing	./			./	./
B470 - Delete landing light	v	V	•	V	V
Lights	./		1	./	_/
B485 - Downgrade to bulb style	V	V	V	V	•
Lights, Clearance	/		√	√	1
B490 – Delete armored marker		'	•	V	<u> </u>
Lights, Clearance			✓	✓	✓
B491 - Downgrade to bulb style	•	,	•	Y	<u> </u>
Lights, LED	\checkmark	✓	√	✓	✓
B500 – Sound Off brand for LED package	·	,	,	· ·	
Lights, Strobe	\checkmark	\checkmark	✓	✓	\checkmark
B480 - Delete light & wiring		,	·		
Lights, Strobe	\checkmark	✓	✓	✓	\checkmark
B481 - Delete light; wiring to remain	·				
Lights, Overhead Warning	\checkmark	\checkmark	✓	✓	\checkmark
B482 - LED non strobing lights Lights, Overhead warning				,	
	\checkmark	✓	✓	✓	\checkmark
B483 halogen bulbs (downgrade) Metal Body					
B510 - 20-gauge metal (downgrade)	\checkmark	✓	✓	✓	
Mirror System	/	,	,		
B520 - Increase driver mirror to 10"x30"	✓	✓	✓	✓	
Mirror System	,				
B521 – Lever-lock adjustable 6" x 30"	\checkmark			✓	
-					
Mirror Timer	\checkmark	\checkmark	\checkmark	✓	\checkmark
B525 - Timer for heated mirror	· · · · · · · · · · · · · · · · · · ·	<u> </u>			*
Mirrors, Crossview	\checkmark	✓	✓	√	
B530 – MirrorLite High Definition, unheated		1			

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Mirrors, Crossview	<u> </u>	1	1	√	
B531 – MirrorLite High Definition, heated		•	y	•	
Mirrors, Crossview	\checkmark	\checkmark	✓	✓	
B537 - Rosco, Eye-Max LP, heated	·	<u>, </u>	, ·	,	
Mirrors, Crossview B538 - Rosco, Eye-Max LP, unheated	\checkmark	\checkmark	✓	√	
Mirrors, Crosssview					
B543 - Rosco Hawk Eye, heated	✓	✓	✓	✓	
Mirrors, Crosssview		/	1	/	
B544 - Rosco Hawk Eye, unheated	∨	V	v	v	
Mirrors, Crosssview, Arms	<u> </u>	1	1	√	√
B555 - Stainless steel arms	V	•	Y	•	V
Mirrors, Rearview	\checkmark	\checkmark	✓	✓	\checkmark
B568 - Rosco EuroStyle, heated	•	,	,	,	•
Mirrors, Rearview B569 - Rosco EuroStyle, remote, heated	\checkmark	\checkmark	✓	√	\checkmark
Mirrors, Rearview					
B571 - Rosco Open View, unheated	✓	✓	✓	✓	✓
Mirrors, Rearview		/		/	
B572 - Rosco Open View, remote, heated, split view	✓	V	V	v	✓
Mirrors, Rearview	./	./	./	./	
B573 - Rosco Open View ES, heated	V	V	V	V	V
Mirrors, Rearview	\checkmark			√	\checkmark
B574 - Rosco Open View ES, unheated	<u> </u>			,	· .
Mirrors, Rearview	\checkmark		\checkmark	√	\checkmark
B575 - Rosco Open View ES, remote, heated, split view Mirrors, Rearview					
B576 – Rosco Accustyle heated, remote	\checkmark	✓	✓	✓	\checkmark
Mirrors, Rearview			/	/	
B577 – Rosco Accustyle, heated	V	V	✓	v	✓
Mirrors, Rearview	1	1	1	1	
B578 – Rosco Accustyle, non-heated			Y	•	V
Mirrors, Rearview		\checkmark	✓	√	\checkmark
B580 – Super Nickel, heated & remote			, ·	,	· .
Mirrors, Rearview Arms	\checkmark	\checkmark	✓	√	\checkmark
B590 - Stainless steel arms Noise Reduction System					
B595 - Perforated ceiling, full bus	✓	✓	✓	✓	✓
Paint, Hood				/	
B600 - Anti-glare, yellow	V			v	V
Paint, Roof	<u> </u>	1	1	√	√
B605 - White, polyurethane		•	y	•	V
Panel, Shoulder Pad	\checkmark	\checkmark	✓	✓	
B610 - Full bus length	·	· · · · ·	,	,	
Power Source B615 – 12-volt power source in driver's area	\checkmark	\checkmark	✓	√	
Radio & Public Address System					
B620 – PA system inside only; no radio system	✓	✓	✓	✓	
Radio & Public Address System	./	./	./		
B621 – PA system inside and outside; no radio system	V	v	✓	v	
Radio & Public Address System			✓		
B622 - AM/FM radio, PA system inside	▼	*	Y	▼	
Radio & Public Address System	\checkmark	\checkmark	✓	✓	
B623 - AM/FM radio, PA system inside & outside	•			,	

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Radio & Public Address System	./	./	./	./	
B624 - AM/FM radio, CD, clock; no PA system	V	V	V	٧	
Radio & Public Address System	\checkmark	\checkmark	\checkmark	\checkmark	
B625 - AM/FM radio, CD, clock, PA system inside	· · · · · · · · · · · · · · · · · · ·	<u>, </u>	,	, , , , , , , , , , , , , , , , , , ,	
Radio & Public Address System	\checkmark	\checkmark	\checkmark	\checkmark	
B626 - AM/FM radio, CD, clock, PA system in/out Roof Vent, Static					
B640 - Power, in second section of roof	\checkmark	✓	✓	✓	
Rust Proofing	./	./	./	./	
B645 - All interior doors	V	V	V	V	
Rust Proofing, Stepwell	✓	✓	√	\	
B647 - Anti-corrosion spray coating, inside & outside	V	•	•	Y	
Rust Proofing, Bumper	\checkmark	\checkmark	\checkmark	\checkmark	
B649 - Anti-corrosion spray coating, inside & outside	· · · · · · · · · · · · · · · · · · ·	<u>, </u>	,	, , , , , , , , , , , , , , , , , , ,	
Sashes, Side	\checkmark	\checkmark	\checkmark	\checkmark	
B650 - Painted flat black School Bus Sign					
B651- LED-First light Safety	\checkmark	✓	✓	✓	
Seat, Barrier				/	
B655 - Additional track mounted barrier only (each)				✓	
Seat, Driver's	./	./		./	
B663 - National, air ride w/o arm rests	V	V	V	V	
Seat, Driver's	√	1		1	
B664 - National, air ride w/1 arm rest	V	•	V	Y	
Seat, Driver's	\checkmark		\checkmark	\checkmark	
B665 - National, air ride w/o arm rest, self contained	<u> </u>			,	
Seat, Driver's	\checkmark		\checkmark	\checkmark	
B666 - National, air ride w/arm rest, self contained Seat. Driver's					
B667 - National air ride w/integrated seat belt, air	√		√	√	
source, self-contained	•		•	•	
Seat, Driver's	/_		/	/	
B668 - National air ride w/integrated seat belt, air source	V	V	v	V	
Seat, Driver's	-/	1	1	1	
B669 - Magnum, air	•	•	•	Y	
Seat, Driver's	\checkmark	√	✓	✓	
B670 - Magnum, mechanical	<u> </u>			<u>, </u>	
Seat, Driver's, Belt	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
B676 - Driver's belt, blaze orange Seats, Child Restraint					
B678 – IMMI/BTI, floor mount (per seat)	\checkmark			✓	
Seats, Child Restraint				/	
B679 – IMMI/Gen4, track mount (per seat)	✓			✓	
Seats, Child Restraint	./	./	./	./	./
B680 – IMMI SafeGuard, floor mount (per seat)	V	V	V	V	V
Seats, Child Restraint	1	•	_/	1	1
B681 – IMMI SafeGuard, track mount (per seat)	V	•	•	Y	•
	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
	· .	,	*		
	\checkmark	\checkmark	\checkmark	✓	\checkmark
	\checkmark	✓	✓	✓	✓
Seats, Child Restraint		1	1	/	
,	✓	✓	✓	✓	✓
Seats, Child Restraint B682 – BESI Pro-Tech III Seats, Child Restraint B683 –30"CQS 3 pt. belts Seats, Child Restraint B684 – 30"CQS 3 pt. belts, track mount Seats, Child Restraint B685 –39"CQS 3 pt. belts, track mount	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Seats, Child Restraint	√	√	✓	√	√
B686 –36"CCr 3 pt. belts (per seat)	,	•	•	,	•
Seats, Child Restraint	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
B687 – 36°CCr 3 pt. belts, track mount (per seat) Seats, Child Restraint					
B688 –30"CCr, floor mount (per seat)	\checkmark	✓	✓	✓	✓
Seats, Child Restraint			/		
B689 –30"CCr, track mount (per seat)	✓	✓	✓	✓	✓
Seats, Child Restraint B690 –39"CCr, floor mount (per seat)	✓	✓	✓	✓	✓
Seats, Child Restraint					
B691 –39"CCr, track mount (per seat)	\checkmark	✓	✓	✓	✓
Seats, Child Restraint	√	✓	✓	√	√
B692 –30"CQCr 3 pt. belts Seats, Child Restraint					
B693 –30"CQCr 3 pt. belts, track mount	\checkmark	✓	✓	✓	✓
Seats, Child Restraint	√	1	√	√	√
B694 –36"CQCr 3 pt. belts	V	Y	•	,	•
Seats, Child Restraint B695 –36"CQCr 3 pt. belts, track mount	\checkmark	\checkmark	\checkmark	✓	\checkmark
Seats, Child Restraint		/		/	/
B696 –39"CQCr 3 pt. belts	V	V	V	v	V
Seats, Child Restraint	1	1		1	1
B697 – SynTec S3C, 36" floor mount (per seat)	V			Y	•
Seats, Child Restraint B698 – SynTec S3C, 36" track mount (per seat)	\checkmark	\checkmark	✓	✓	\checkmark
Seats, Child Restraint	✓	/	✓	✓	√
B699 – SynTec S3C, 39" floor mount (per seat) Seats, Child Restraint					
B700 – SynTec S3C, 39"track mount (per seat)	✓	✓	✓	✓	✓
Seats, Fire Block	./.		./	./	./
B703 - Delete fire block	V	V	V	V	V
Seats, Passenger B705 - Deduct for delete seat (per seat)	\checkmark	\checkmark	\checkmark	✓	\checkmark
Seats, Passenger, Replaceable Back					
B707 – For child restraint/3 point belts, 39" (per seat)	✓	V	✓	✓	✓
Seats, Passenger, Replaceable Back B708 – For child restraint/3 point belts, 36" (per seat)	\checkmark	✓	✓	✓	\checkmark
Seats, Passenger, Replaceable Back	√	✓	√	√	✓
B709 – For child restraint/3 point belts, 30" (per seat) Seats, Passenger: Color					
B710 - Green/light green	✓	✓	✓	✓	✓
Seats, Passenger: Color	<u> </u>	-/	1	_/	1
B711 - Brown/Beige	V	V	V	Y	•
Seats, Passenger: Color B712 - Blue/light blue	\checkmark	\checkmark	\checkmark	✓	\checkmark
Seats, Passenger: Color	√	√	√	√	√
B713 – Gray Seats, Passenger: Color		•	,		•
B714 – Burgundy	\checkmark	✓	✓	✓	✓
Seats, Passenger: Restraining B720 - Seatbelts, 2 per seat, entire bus	✓	√	✓		✓
Seats, Passenger: Restraining			/		/
B721 - Seatbelts, 3 per seat, entire bus	✓	✓	✓		✓

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Seats, Track-mounted					./
B729 - 36" seat					V
Seats, Track-mounted					./
B730 - 39" seat					V
Seats, Track-mounted	√	./	✓	✓	./
B731 - 36" seat w/2 seatbelts (per seat)	•	V	•	V	V
Seats, Track-mounted	1	./	·/	./	./
B732 - 39" seat w/3 seatbelts (per seat)	<u> </u>	•	•	V	V
Seats, Track-mounted				✓	
B733 – Deduct 39" seat (per seat)				,	
Severe Service Package	\checkmark	\checkmark	✓	✓	\checkmark
B740 – Must meet Colorado Racking Test	<u> </u>	,	,	,	•
Step Tread	\checkmark	\checkmark	✓	√	\checkmark
B750 – Pebble tread w/metal backing		· .			
Step Tread	\checkmark	\checkmark	✓	√	\checkmark
B751 – Pebble tread-heated w/metal backing		· .			
Step Tread	\checkmark	\checkmark	✓	✓	\checkmark
B752 – Pebble tread-w/nonmetal backing					
Stepwell P755 Co. 1 Land 1	\checkmark	\checkmark	\checkmark	✓	\checkmark
B755 – Stainless steel				,	
Stop Arm Signals	\checkmark	\checkmark	✓	✓	\checkmark
B761 - Air LED lights, front only Stop Arm Signals					
B762 - Electric, LED lights, front only	\checkmark	\checkmark		✓	\checkmark
Stop Arm Signals					
B763 – Transpec 7000, electric, LED lights, front only	\checkmark	✓	\checkmark	✓	\checkmark
Stop Arm Signals				/	
B764 - Transpec 7000, electric, LED lights, front & rear	\checkmark	V	✓	✓	
Stop Arm Signals				/	
B765 - Air, LED lights, front & rear	✓	V	✓	✓	
Storage Compartment, Small (50-65")			/	/	
B770 – With light, cable & lock (each)	V	V	v	v	
Storage Compartment, Small (50-65")	./	./	./	./	
B771 – With light, gas spring & lock (each)	V	V	_	v	
Storage Compartment, Med (70-90")	./		-/	./	
B772 – With light, cable & lock (each)	V	V	_	•	
Storage Compartment, Med (70-90")	1	_/	·/	./	
B773 – With light, gas spring & lock (each)	<u> </u>	V	Y	V	
Storage Compartment, Large (90-105")	✓	√	✓	√	
B774 – With light, cable & lock (each)		Y	•	•	
Storage Compartment, Large (90-105")	✓	√	✓	√	
B775 – With light, gas spring & lock (each)		<u>'</u>	,	,	
Storage Compartment Location		\checkmark			
B780 – Luggage passthrough w/lights, gas spring & lock		*			
Storage Compartment Driver's Area	\checkmark	\checkmark	✓	√	
B781 – Over drivers sash window	· .				
Storage Pouch	\checkmark	✓	✓	✓	\checkmark
B782 - Mounted on barrier behind driver Student Reminder System		,	,		
B793 - Delete Student Reminder System	\checkmark	✓	✓	✓	
Sunshade		,	,		
B800 – 10"x30"	✓	✓	✓	✓	✓
Warning System-Driver Alert			/		
B805 – Transpec Driver Alert Model 7500	✓	✓	✓	✓	✓
2005 Transpec Differ Moter 1500		_1	l .	l	

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Wheel Housing			./		
B810 – Omit rear wheel housing	V		V		V
Wheelchair Entry	\checkmark	\checkmark		\checkmark	
B822 - Front lift door w/Braun NL919IB, 34" wide	· · · · · · · · · · · · · · · · · · ·	•		· .	
Wheelchair Entry	\checkmark			\checkmark	
B823 - Front lift door w/Braun NCL919IB, 34" wide	·				
Wheelchair Entry B824 - Front lift door w/Ricon ADA S5003	\checkmark	✓		✓	
Wheelchair Entry					
B825 - Front lift door w/Braun 1,000 lb cap. NCL3451	✓	✓		✓	
Wheelchair Entry	./	./	./	./	
B828 - Midship lift door w/Braun NL919IB, 34" wide	•	V	V	V	
Wheelchair Entry	√	√	√	✓	
B829 - Midship lift door w/Ricon ADA S5003	•	•	•	<u> </u>	
Wheelchair Entry	/				
B830 - Midship lift door w/Braun 1,000 lb cap.	✓	✓	✓	✓	
NCL3451 Wheelchair Entry			,		
B834 - Rear lift door w/Braun NL919IB, 34" wide	\checkmark	✓	✓		\checkmark
Wheelchair Entry					
B835 - Rear lift door w/Braun NCL919IB, 34" wide	✓		V	✓	✓
Wheelchair Entry	./	./		./	./
B836 - Rear lift door w/Ricon lift	V	V	V	V	V
Wheelchair Entry	1			1	-/
B837 - Rear lift door w/Braun 1,000 lb cap. NCL3451	<u> </u>		Y	V	V
Wheelchair Entry Latch	\checkmark		\checkmark	\checkmark	\checkmark
B845 - 3-point latch				, , , , , , , , , , , , , , , , , , ,	
Wheelchair Securements (L-Track) B850 - Sure-Lok Retraktor FF612S-4C (each)	\checkmark		\checkmark	\checkmark	\checkmark
Wheelchair Securements (L-Track)					
B851 - Sure-Lok Retraktor Titan 800 (each)	✓	√	✓	✓	✓
Wheelchair Securements (L-Track)	/_		/	1	/
B852 - Q-Straint QRT 360 (each)	V	V	V	V	V
Wheelchair Securements (L-Track)	1	1	1	1	-/
B853 - Q-Straint Q-8100-A1 QRT (each)		•	Y	Y	V
Wheelchair Securements (L-Track)	\checkmark	✓	\checkmark	\checkmark	\checkmark
B854 - Q-Straint Q-8300-A1QRT (each)	· · · · · · · · · · · · · · · · · · ·	•	· .	,	
Windows, Frost Free, Driver	\checkmark	✓	\checkmark	\checkmark	\checkmark
B860 - Add frost-free driver's window Windows, Frost Free, Upper Entrance					
B861 - Add frost-free upper entrance door window	\checkmark	✓	✓	✓	✓
Windows, Frost Free, Lower Entrance				1	
B862 - Add frost-free lower entrance door window	✓	✓	✓	✓	✓
Windows, Frost Free, Left-hand Passenger	,	,	,	,	,
B863 - Add frost-free left-hand passenger window(s)	\checkmark	✓	\checkmark	✓	✓
(qty)					
Windows, Frost Free, Right-hand Passenger	/				
B864 - Add frost-free right-hand passenger window(s)	✓	✓	✓	✓	√
(qty) Window, Rear					
B870 - Tempered, 28% tinted	\checkmark	✓	\checkmark	✓	✓
Window, Rear		/	/		
B871 - Laminated, 28% tinted	✓	✓	✓	✓	✓
Windows	./	./	√	./	./
B875 – Delete 28% tinted	Y	•	₩	Y	v

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Windows	√	√	√	✓	✓
B876 - Laminated, 28% tinted Windshield		,	,	,	,
B880 – 2-piece curved	✓	✓	✓	✓	
CHASSIS OPTIONS					
Air Dryer	1	./		./	
C101 - Bendix AD-IP dryer w/spin-on filter	V	Y	V	V	
Alternator C120 – 200-amp, Bosch	\checkmark	✓		✓	\checkmark
Alternator C121 – 200-amp, Leece-Neville	✓	✓	✓	✓	
Alternator	./	./	./	./	
C122 – 220-amp, Leece-Neville	V	Y	V	V	
Alternator C123 – 240-amp, Leece-Neville	\checkmark	\checkmark	\checkmark	\checkmark	
Alternator					
C124 – 270-amp, Leece-Neville	✓	✓	✓	✓	
Alternator C125 – 320-amp, Leece-Neville	\checkmark	✓	\checkmark	✓	✓
Axle, Front; minimum load				./	
C140 - 8,000-lbs.	V			V	
Axle, Front: minimum load C141 - 9,000-lbs.	\checkmark			✓	
Axle, Front: minimum load	√			✓	
C142 - 12,000-lbs. Axle, Front; minimum load	•			,	
C143 - 14,000 lbs.		✓	\checkmark		
Axle, Front: minimum load			✓		
C144 - 14,600 lbs.			,	,	
Axle, Rear: minimum load C150 - 19,000 lbs.	√		✓	✓	
Axle, Rear: minimum load	✓	✓	√	✓	
C152 - 21,000 lbs. Axle, Rear: minimum load			,	,	
C153 - 23,000 lbs.	✓	✓	✓	✓	
Batteries C161 – 2 12-volt, 650-CCA	✓	√	✓	✓	
Batteries		/			
C162 - 2 8d, 12-volt, 1400-CCA	•	V	V	V	
Batteries	\checkmark	\checkmark	✓	✓	
C163 – 3 12-volt, 950-CCA Brake Dust Shield					
C170 – Brake dust shield on all wheels	✓	✓	✓	✓	
Brakes, ESC	√	✓	✓	√	
C172 – Electronic Stability Control for Air Brakes Brakes, ESC		· ·			
C173 – Electronic Stability Control for Hydraulic Brakes	✓		✓	✓	
Brakes, ABS, Hydraulic C175 - Hydraulic, must delete all air equipment	✓		✓	✓	
Brakes, ABS, Hydraulic	√		√	√	
C176 - Hydraulic, retain air accessories Brakes, Air Disc					
C178 - Air disc brakes	✓		✓	✓	

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Brakes, Traction Control	√	√	✓	√	
C180 – For air brakes	Y	Y	Y	V	
Brakes, Traction Control	\checkmark			\checkmark	
C181 – For hydraulic brakes	·				
Cruise Control C190 - Delete Cruise Control	\checkmark	\checkmark	✓	✓	
Fan Drive					
C195 - Electromagnetic On/Off Type	✓	✓	✓	✓	
Engine C200 - Cummins ISB 200hp w/PTS2500 trans	✓	✓	✓	✓	
Engine C201 - Cummins ISB 220hp, 520 torque, PTS2500 trans	√	✓	√	✓	
Engine			/		
C202 - Cummins ISB 240hp w/PTS2500 trans	√	✓	✓	✓	
Engine C203 - Cummins ISB 250hp w/PTS2500 trans	✓	√	✓	✓	
Engine C204 - Cummins ISB 220hp, 600 torque, PTS2500 trans	\checkmark	✓	\checkmark	✓	
Engine C205 - Cummins ISB 260hp w/PTS3000 trans	✓	✓	\checkmark	✓	
Engine C206 - Cummins ISB 280hp w/PTS3000 trans		✓	✓		
Engine C207 - Cummins ISB 300hp w/PTS3000 trans		✓			
Engine	√			√	
C208 – DD5 200 HP w/ Allison 2500 trans Engine				√	
C209 – DD5 220 HP w/ Allison 2500 trans Engine	•			./	
C210 – DD5 240 HP w/ Allison 2500 trans Engine	V			V	
C211 – DD8 260 HP w/ Allison 3000 trans		V			
Engine C212 – DD8 280 HP w/ Allison 3000 trans		✓			
Engine C218 - Gasoline Engine,, 7.3L w/Ford Trans	✓			✓	
Engine C219 - Gasoline Engine, 8.8 L w/Allison 2500 Trans	\checkmark			✓	\checkmark
Engine C220 - Propane Engine, 7.3 L w/Ford trans	✓			✓	✓
Engine C221 - Propane Engine, PSI 8.8 L w/PTS 2500 trans	√			✓	
Engine	✓			✓	
C222 - Propane Engine, 8.0 L w/Allison 2300 trans Engine	· · ·				
C223 - Propane Engine ₅ , 7.3 L w/ultra low NOx w/Ford trans	✓			✓	
Engine C230 – Soft Close Hood Support	✓			✓	
Fuel Tank		✓	√		
C250 - Decrease to 60-gallon Fuel Tank	√			✓	
C251 - Increase to 100-gallon diesel tank Fuel Tank	<u> </u>				
C252 – Increase to 100-gallon gasoline tank	✓			✓	

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Fuel Tank				1	
C253 - Increase to 98-gallon propane tank	V			V	
Full Instrumentation Package	\checkmark	✓	✓	✓	\checkmark
C260 - Low Coolant indicator with audible alarm		,	•	· .	· .
Headlights	\checkmark			\checkmark	\checkmark
C265 – Auto Sensing Headlights Heater Block, Internal (Engine)					
C270 – 1,000-watt	✓			✓	\checkmark
Heater Block, Internal (Engine)			/	/	
C273 - Delete block heater	✓	✓	✓	✓	
Heater Block Receptacle	./	-/	./	./	./
C275 – Rear receptacle (replaces front block)	<u> </u>	Y	Y	Y	V
Heater Block, Receptacle	\checkmark	✓	\checkmark	\checkmark	\checkmark
C276 – 2 receptacles (both front & rear)		, , , , , , , , , , , , , , , , , , ,		, , , , , , , , , , , , , , , , , , ,	· .
Idle Management Control	\checkmark	✓	✓	\checkmark	\checkmark
C280 - Programmable Motor, Starting					
C290 – Thermal overcrank protection	✓	✓	✓	✓	\checkmark
Paint, Wheels				1	
C300 - Wheels finish coated black inside and out	✓	V	V	✓	✓
Pedals, Adjustable	./	./		./	
C310 – Adjustable brake and accelerator pedals	V	V	V	V	
Rust Proofing	\checkmark			✓	✓
C315 – Fuel tank anticorrosion spray coating			•	,	,
Steering C220 T. I	\checkmark	✓	\checkmark	\checkmark	
C320 – Telescoping steering wheel Suspension					
C330 – Front air ride	\checkmark	✓	\checkmark	✓	
Suspension system			/	1	
C335 - Delete air suspension from air brake bus	V	V	✓	✓	
Suspension system	./		./	./	
C336 - Delete air suspension from hydraulic brake bus	V		V	V	
Switches, Ignition		✓	\checkmark	✓	\checkmark
C350 - Keyed alike		,,	•	,	,
Tires, Michelin XZE	\checkmark	\checkmark	\checkmark		
C360 - 10R22.5 steer front/rear Tires, Michelin XZE					
C361 – 10R22.5 steer fr; mud/snow rear	\checkmark	✓	✓		
Tires, Michelin XZE	/		/		
C362 – 11R22.5 steer fr; mud/snow rear	V	v	v		
Tires, Michelin XZE	./				
C363 – LoPro 255/70R22.5 steer front/rear	V				
Tires, Michelin XZE	\checkmark			✓	
C364 – LoPro 255/70R22.5 mud/snow				,	
Tires, Michelin XZE	\checkmark				
C365 – LoPro 275/80R22.5 steer fr; mud/snow rear					
Tires, Michelin XZE C366 – LoPro 275/80R22.5 steer front/rear	\checkmark				
Tires, Michelin XZE			/		
C367 – 275/80R22.5H	✓	✓	✓	✓	✓
Tires, Michelin XZA2J	./	./	./	./	
C368 – 295/60R22.5	y	Ψ	Ψ	Y	V
Tires, Goodyear	<u> </u>	√	√		
C370 - 10R22.5 steer front; mud/snow rear	,	•			

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Tires, Goodyear	✓	✓	✓		
C371 - 10R22.5-steer front/rear Tires, Goodyear					
C372 - 10R22.5 mud/snow	V				
Tires, Goodyear	✓	\checkmark	\checkmark		
C373 – 11R22.5 steer fr; mud/snow rear Tires, Goodyear			/		
C374 – 11R22.5 steer front/rear	V	V	V		
Tires, Goodyear C375 – 295/75R22.5	✓	✓	✓	✓	\checkmark
Tires, Goodyear C376 – 295/75R22.5	✓	✓	✓	✓	\checkmark
Tires, Goodyear C377 – LoPro 255/70R22.5 steer front/rear	✓			✓	
Tires, Goodyear C378 – LoPro 255/70R22.5 mud/snow	✓			✓	
Tires, Continental C380 – 10R22.5 steer fr; mud/snow rear	✓	√	✓	√	✓
Tires, Continental C381 – 11R22.5 steer fr; mud/snow rear	✓	√			
Tires, Continental	✓	√			
C382 – 11R22.5 steer front/rear Tires, Continental	√	1	1	✓	√
C383 – 10R22.5 steer front/rear Tires, Continental	./			./	<u> </u>
C384 – LoPro 255/70R22.5 steer front/rear	V			V	
Tires, Hankook C385 – 11R22.5 steer front/rear	✓	✓	\checkmark	✓	
Tires, Hankook C386 – 11R22.5 steer front; mud/snow rear	✓		✓	✓	
Tires, Hankook C387 – 255/70R22.5	✓	V	✓	✓	✓
Tires, Hankook C388 – 295/75R22.5	✓	√	✓	✓	✓
Tires, Hankook C389 – 295/75R22.5 FRT/Z35A RR	√	1	✓	✓	✓
Tires, Hankook C390 – 10R22.5	✓	√	✓	√	✓
Tires, Hankook	√	√	√	√	√
C391 – 10R22.5 FT/DH01 RR Tires, Bridgestone	✓	✓	√		
C392 – 11R22.5 steer front/rear Tires, Bridgestone	√	✓ ·	✓ ·		
C393 – 11R22.5 steer fr; mud/snow rear Tires, Cooper	· ·	· ·	· ·		
C394- 295/75R22.5 Tires, Cooper	./	./	./		
C395- 255/70R22.5 Tires, Cooper	V	V	√		
C396- 11R22.5 Steer front/rear	✓	✓	✓		
Tires, Cooper C397- 11R22.5 steer fr, mud/snow rear	✓	✓	✓		
Turn Signals C420 - Side-mounted		√	√		

OPTION NAME	CONV.	TRANS REAR	TRANS FR	SPEC NEED	A-II
Turn Signals	✓			✓	✓
C421 - Fender-mounted Warranty, Extended C450 – 2 year/unlimited miles	✓	✓	✓	√	
Warranty, Extended C451 – 3 year/unlimited miles	✓	√	✓	✓	
Warranty, Extended C452 – 5 year/100,000 miles	✓	✓	✓	✓	✓
Warranty, Corrosion & Structural C460 – 10 years	✓			✓	
Warranty, Engine C465 - 5-year/unlimited mileage					✓
Warranty, Towing C470 – 5 year/100,000 miles	✓	✓	✓	✓	✓
Wheels C480 - Iron hub	✓	✓	✓	✓	
Winter Warmup Equipment C490 – Winter front	✓		✓	✓	✓
Winter Warmup Equipment C491 - Hydraulic; radiator shutters	✓		\checkmark	✓	
Winter Warmup Equipment C492 - Air; radiator shutters	✓		~	✓	